
- AN ISO 9001:2015 CERTIFIED COMPANY -





MISSION

To provide quality products at a price that reflects true value along with unparalleled support services by highly trained and well motivated work force meeting customer expectation and requirements



VISION

To be the foremost indian lubricant manufacturing company most admired for its quality Products, reliable performance and best services with a prospective of global excellence

Lab Test Facility is also available

OUR PRODUCT RANGE





RAW MATERIALS PRODUCTS

Base Oil:

Group I, II, III, (SN500 W/Y) (SN150 W/Y) (SN600 WHITE)

Additive:

Engine Oil Additive
Multi Purpose Engine Oil Additive
Gear Oil Additive
Hydraulic Oil Additive
Cutting Oil Additive
Transmission Oil Additive
VII(viscosity Index Improver)


Polymer:

141 132









OUR PRODUCT RANGE



ENGINE OIL

- Two Stroke Engine oil
- Four Stroke Engine oil
- Meavy Duty Engine oil



HYDRAULIC OIL

- **MYDRA 32**
- HYDRA 46
- HYDRA 68
- HYDRA 150



INDUSTRIAL OIL

- Mydraulic oil 100
- Cutting oil state
- Water soluble cutting oil
- Transmission oil
- Thermic Oil
- Quenching oil
- CNC Lubricant (Way-68)
- **6** Grinding oil
- RPO (Rubber Process Oil)
- Transformer oil



TEXTILE OIL

- Looms oil (460/150)
- **6** Embroidery oil
- Spindle oil (10/12)
- NO Chemical (Waterjet)
- Silicon oil
- Warping oil
- Conning Oil



GEAR OIL

- Gear Saver 90/140
- Gear Saver 75w90/85w140
- Gear Saver 100/220/320/460
- Gear Saver 80w90



INDUSTRIAL & AUTOMOTIVE GREASE

- ♦ All Purpose Grease (AP-3)
- ♦ EP-2 GREASE
- Wheel Bearing Grease
- Chassis Grease
- Gel Grease / Red Gel Grease
- High Temperature Grease
- ♦ EPL-2 Grease

- ♦ EP-0 Grease
- ♦ EP-000 Grease
- Titanium Grease-2
- Titanium Grease-3



SYNTHETIC OIL

- ♦ 0W40
- 10W40
- **♦** 5W40
- ♦ 5W30
- 10W30




OTHER OIL

- Brake oil
- **♦ CNG oil**
- Compressor oil
- Front Fork oil
- Power Steering oil
- Coolant
- Spray type Lubricant
- Tin Pack Material
- Diesel Exhaust Fluid (DEF)

SPECIAL FOR 4-STROKE ENGINE OIL







This MotorCycle Engine oils are Developed Specifications for 4-Stroke motor Cycle oil. Cling and protect chling all riding condition. flight deposits and provide superior engine cleanliness during running.

Packing Size: 900 ml, 1, 10, 20, 55, 210 Ltr.





DRIFT4T - 10W-40

Drift4T Providing Strong Performance for engine, transmission and clutch Fully Technology with advance formulation for performance in extreme conditions. Also providing cleanliness and corrosion protection for smooth performance and super acceleration.

Packing Size: 800ml, 900 ml, 1 Ltr.





STAR 20W-50

STAR Super high performance Petrol engine oil for use in all modern low emission, turbo charged Engines. Higher protection and Finest performance even under extreme conditions for a smooth ride. It also gives protection of gears during frequent gear changes. Solution of clutch slippage at start up and at different speeds.

Packing Size: 900 ml, 1 Ltr.





MARINE-4T

Marine 4T It is Premium quality multi-grade Engine oil (SAE10w30), Specially Developed to meet the requirements of high speed 4 stroke air cooled engines of new generation motorcycles.

Packing Size: 900 ml, 1, 10, 20, 55, 210 Ltr.

Tin Pack Size: 900 ml, 1 Ltr.





SCOOTOMETIC - 10W30

SCOOTOMETIC is high performance multi-grade engine oil suitable for 2 wheelers having 4 stroke petrol engines. **SCOOTOMETIC** is recommended for all 4 stroke motor cycles & scooters etc.

Packing Size: 800ml, 850 ml, 10, 20, 55, 210 Ltr.





ROYALFILD - 15W50

Royalfild 15W50 Advanced polymers blended with special additives for unmatched protection, longevity and flow. High-temperature/extreme-pressure agents made of the finest zinc, phosphorus and sulfur 3 compounds to withstand high-performance riding.

Packing Size: 2.5, 3, 10, 20, 55, 210 Ltr.



SPECIAL FOR FULLY SYNTHETIC CAR ENGINE OIL



NEPTUNE Gives Good wear protection against wide operating conditions & Protect the Engine components from sludge, rust & corrosion Lower friction of the moving & rubbing parts. Longer Service Life.

Packing Size: 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.





Triple-QX Oils are designed to provide the highest degree of protection and cleanliness for your automotive, motorcycle, or marine engine. lubricants are unique because they contain Poly Ester base stocks, the only lubricants which can withstand the tremendous heat of modern jet engines.

Packing Size: 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.







VX 10 - 10W40

VX-10 is premium performance passenger car motor oil specially developed for the most modern high output gasoline powered vehicles to provide excellent protection against wear and deposits & sludge build-up. It is available in three different viscosity grades viz. SAE 5W-30, SAE 10W-40.

Packing Size: 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.





FORTUNE - 5W30

Fortune Oils are designed to provide the highest degree of protection and cleanliness for your automotive, motorcycle, or marine engine. lubricants are unique because they contain Poly Ester base stocks, the only lubricants which can withstand the tremendous heat of modern jet engines.

Packing Size: 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.





EXTREME - 10W30

EXTREME exceeds the most stringent performance requirements of API JASO MA2 and the Valve Train Wear requirements of API-SM / CH. Having Friction Modifier Up keeping of inner cleanliness due to High Detergency. Helps to Reduce Fuel Consumption.

Packing Size: 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.





NITRO - 15W40 (CF-4,CH-4,CI-4+)

NITRO 15W40 is Very High Oxidation Stability Protect Against The Formulation of Gum And Varnishes And Increase Oil Life. Minimize Application Problem Reduces Maintenance Cost Extended Oil Changed Period. Maintains Power Output.

Packing Size: 500 ml, 1, 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.





Motojet Super high performance engine oil for use in all modern low emission, Excellent thermooxidative stability controls deposits & viscosity increase facilitating longer drain intervals advanced detergency reduces deposits and enhances engine cleanliness, better soot handling capability. engines used in mining, construction, agriculture and other off-highway.

Packing Size: 500 ml, 1, 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.







TURBOSTAR - 20W50

Turbo Star Super high performance Petrol/diesel engine oil for use in all modern low emission, turbocharged. The product has been specifically developed to meet the requirement of engines conforming to Euro 3 and Euro 2 emission norms Excellent thermo-oxidative stability controls deposits & viscosity increase facilitating longer drain intervals advanced detergency reduces deposits and enhances engine cleanliness, better soot handling capability.

Packing Size: 1, 2.5, 3, 3.5, 4, 5, 10, 20, 55, 210 Ltr.





SHAKTI - TRACTOR ENGINE OIL

SHAKTI meets the specifications of major equipment manufacturers of tractors. enhances the frictional properties and optimizes clutch performance and ensures noise free operation of wet brakes. High viscosity index coupled with high shear stability provides consistent performance and excellent low temperature fluidity.

Packing Size: 1, 2.5, 3, 7.5, 10, 20, 55, 210 Ltr.





UTTO OIL - UNIVERSAL TRACTOR TRANSMISSION OIL

UTTO meets the specifications of major equipment manufacturers of tractors. enhances the frictional properties and optimizes clutch performance and ensures noise free operation of wet brakes. High viscosity index coupled with high shear stability provides consistent performance and excellent low temperature fluidity.

Packing Size: 5, 7.5, 10, 20, 55, 210 Ltr.



HYDRAULIC & GEAR OIL



GEAR SAVER - 90

Gear Saver Gear Oil Is Recommended For Its Use Spiral Level And Double Reduction Gear And Final Drives Requiring A Straight Mineral Lubricant APL Services Categories GL-5 Convenient Viscosity Behavior Under Load or Temperature Regime. Suitable Gear Protection At High-low Speeds As well As In High-low Torque Operation.

Packing Size: 500 ml, 1, 5, 10, 20, 26, 55, 210 Ltr.







Gear Saver Gear Oil is a premium quality Industrial and Automotive gear lubricant which recommended for enclosed industrial gears and heavily loaded plain or rolling-element bearings operating under extreme-temperature conditions.

Packing Size: 1, 5, 10, 20, 26, 55, 210 Ltr.



GEAR SAVER 80W90

Gear Saver High performance gear lubricant effective lubrication in a wide range of automotive transmissions Good extreme pressure and antiwear properties, high oxidation stability minimizes sludge and deposit formation, effective rust and corrosion protection.

Packing Size: 1, 5, 10, 20, 26, 55, 210 Ltr.







GEAR SAVER 85W140

Gear Saver A Heavy duty automotive multipurpose, sophisticated extreme pressure gear lubricant designed to meet the requirements of the API service Classification GL-5.

Packing Size: 1, 5, 10, 20, 26, 55, 210 Ltr.





GEAR SAVER 75W90

Gear Saver High performance gear lubricant effective lubrication in a wide range of automotive transmissions Good extreme pressure and antiwear properties, high oxidation stability minimises sludge and deposit formation, effective rust and corrosion protection.

Packing Size: 1, 5, 10, 20, 55, 210 Ltr.





HYDRAULIC OIL (32/46/68)

Hydraulic 68 series are premium quality lubricating oils inteneded for use in hydraulic systems in industrial service, circulating systems. These oils are blended from high quality base oils and additive system to provide superior oxidation stability, rust & corrosion protection, foam control and moderate wear protection.

Packing Size: 1, 5, 10, 20, 26, 55, 210 Ltr.





COMPRESSOR OIL - 150

Compressor oil series are high performance ash less air compressor oils specially designed to meet the stringent requirements of major comp. manufacturers. The high quality base oils and special additive and compounded for used in this oil provide resistance to oxidation, better frictional properties, good low temperature fluidity, improved seal compatibility & wear protection.

Packing Size: 1, 5, 10, 20, 55, 210 Ltr.





RED-X 2T

RED-X 2T are superior products develops for two stroke petrol engines & are blended from highly refined base oils, additives & a diluent to provide easy mixing with fuel, these products minimize spark plug fouling & protection against scuffing, seizure & wear.

Packing Size: 500 ml, 1, 10, 20, 55, 210 Ltr.



LAL GHODA - BLACK GOLD 20W40

LAL GHODA - BLACK GOLD 20W 40 Meets API CF/SF Grade is a multigrade engine oil. Recommended for use in all types of in Auto Rickshaw and Pumpset sets.

Packing Size: 500 ml, 1, 10, 20, 55, 210 Ltr.





SPECIAL PRODUCT RANGE



BRAKE OIL (DOT - 3/4/5)

BRAKE OIL Consistent and steady brake pressure response throughout service life, Optimal viscosity-even during extreme temperature conditions. Enhanced lubrication of the hydraulic components, Suitable for all hydraulic brake & clutch systems with the exception of those run on mineral oil.

Packing Size: 100, 250, 500 ml, 1, 5 Ltr, 210 Ltr.

















FRONT FORK OIL (SHOCKER OIL)

Fork Oil is an advanced mineral based suspension fluid designed to provide superior damping performance in all on and off road suspensions.

Packing Size: 175, 350 ml, 210 Ltr.



COOLANT (1:4 / 1:5)

Coolant Flush and clean cooling system with water. Fill Volubit Coolant to the expansion bottle to a level between the LOW and FULL marks. Check the level of fluid in the expansion bottle periodically and top-up with Volubit Coolant. Change fluid every 22000 km. or 2.5 years.

Packing Size: 1, 5, 10, 20, 55, 210 Ltr.



TQ - POWER STEERING OIL

TQ- Power Steering Power Steering Fluid is formulated with a special base oil as well as an additive package that adds lubricity to stop wear and conditions seals to prevent leaks. For already existing power leaks we recommend Keep out of Harmful it Swallowed

Packing Size: 1, 5, 10, 20, 55, 210 Ltr.

SPRAY TYPE LUBRICANT PRODUCT



Chain Spray A powerful degreasing agent for all types of motorcycle chains (on- road and off-road) and those of other vehicles Effectively removes all encrusted deposits. Its chlorine-free extreme grease removal formula.

Packing Size: 150ml, 250ml, 450ml



Rust Cleaner Spray Protects Rust To Metal Bonds, Crevices And Pores Loosens/Frees Jammed, Frozen & Rusted Metal Parts It Penetrates Easily And Rapidly In To The Minor Gaps Helps To Reduce Friction & Enables Easy Movements

Packing Size: 150ml, 250ml, 450ml



Multi Cleaner Spray It Is Used As Multi Pupose Cleaning Spray Like Rust & Carbon Remover. Lubricant, Demoistrant & Corrosion Inhibitor Excellent Penetrating Action Drives Out Moisture

Packing Size: 150ml, 250ml, 450ml



SPECIAL FOR INDUSTRIAL



GEAR SAVER 220/320

Gear Saver is a premium quality Industrial and Automotive gear lubricant which recommended for enclosed industrial gears and heavily loaded plain or rolling-element bearings operating under extreme-temperature conditions. It is specially formulated to have a very high viscosity index for use over a wide range of operating temperatures.

Packing Size: 10, 20, 26, 55, 210 Ltr.





HYDRAULIC OIL (100)

Hydraulic Oil series are premium quality lubricating oils inteneded for use in hydraulic systems in industrial service, circulating systems. These oils are blended from high quality base oils and additive system to provide superior oxidation stability, rust & corrosion protection, foam control and moderate wear protection.

Packing Size: 10, 20, 26, 55, 210 Ltr.





WATER SOLUBLE CUTTING OIL

Water Soluble Cutting Oil These are premium quality water soluble cutting oils, specially developed a form extremely stable milky emulsion even with extreme hard water (400 ppm) leading to excellent in life and finish in all Metal cutting operations, where Cooling is more important than lubrication.

Packing Size: 20, 55, 210 Ltr.





STATE CUTTING OIL

Packing Size: 20, 26, 55, 210 Ltr.



TRANSMISSION OIL

Packing Size: 20, 55, 210 Ltr.



LOOMS OIL

Packing Size: 20, 26, 55, 210 Ltr.



EMBROIDERY OIL

Packing Size: 20, 26, 55, 210 Ltr.



SPINDLE OIL

Packing Size: 1, 5, 20, 26, 55, 210 Ltr.



THERMIC OIL

Packing Size: 20, 26, 55, 210 Ltr.



QUENCHING OIL

Packing Size: 20, 26, 55, 210 Ltr.



WAY-68 (CNC LUBRICANT)

Packing Size: 20, 26, 55, 210 Ltr.



RPO (RUNNER PROCESS OIL)

Packing Size: 210 Ltr.



CONING OIL


Packing Size: 55, 210 Ltr.



TRANSFORMER OIL

Packing Size: 20, 26, 55, 210 Ltr.











FURNACE OIL (FURNACE OIL)

Packing Size: 210 Ltr.



RO ANTISCALANT CHEMICAL

Packing Size: 20, 55, 210 Ltr.















BRAKE SHOE - TWO WHEELER -



ALL TYPES OF MOTORBIKE BRAKE SHOE AVAILABLE

OIL FILTER FOR TRACTOR





INDUSTRIAL & AUTOMOTIVE GREASE



All Purpose Grease (AP-3)

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



Multi Purpose Grease (MP-3)

Packing Size: 100, 200, 250, 500 GM, 1, 5, 10, 18, 180 KG



EP-2 GREASE

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



SILICON GREASE

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



CHASSIS GREASE

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



GEL GREASE

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



RED GEL GREASE

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



HIGH TEMPERATURE GREASE

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



WHEEL BEARING GREASE

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



EPL-2 Grease

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



EP-0 Grease

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



EP-00 Grease

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



EP-000 Grease

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



D E F (DISEAL EXHAUST FLUID)

Packing Size: 20, 55, 210 Ltr.















Titanium Grease-2

Packing Size: 250, 500 GM, 1, 5, 10, 18, 180 KG



Titanium Grease-3

Packing Size: 250, 500 GM, 1, 5,

10, 18, 180 KG



























FULLY SYNTHETIC ENGINE OIL



API SN / CI-4 LeaderX 5w-40 Designed for Modern Performance Engine Oils are designed to provide the highest degree of protection and cleanliness for your automotive, motorcycle, or marine engine. We use the most stable synthetic components available and formulate our products for wear protection across a wide range of engine operating conditions.





POWER FORCE 15W-40

15W-40 API CJ-4 / SN (synthetic) designed for heavy duty diesel engine oil super high performance diesel engine oil for use in all modern low emission, turbocharged. The product has been specifically developed to meet the requirement of engines conforming to euro3 and euro4 emission norms excellent thermo-oxidative stability controls deposits & viscosity increase facilitating longer drain intervals advanced detergency reduces deposits and enhances engine cleanliness, better soot handling capability. Heavy duty diesel engines used in mining, construction, agriculture and other off-highway.



GREASING THE AATMANIRBHARTA PATH



MR. DHARMESH GABANI Director

MR. SHAILESH DHOLA
CEO

"This has been a year of growth and new opportunities for everyone at Volubit Lubricant Industries. We appreciate the continued commitment and growth. Our reputation is the most treasured asset and the foundation on which we have built our Company. Everyone at our Company, knows that the only way to protect and increase the standards of the Company at the National and International Level is by delivering high quality products within the stipulated period of time. We also keep upgrading and meeting the expectations of the clients at a satisfactory level. One of our major achievements in the past year has been our ability to settle down maximum outlets in the form of depots and distributor network, which stabilize and strengthen our relationship with our existing clients. Volubit Lubricant Industries is committed to delivering excellence with high quality lubricant products and aspires to a world-class Lubricant Industry."

ABOUT COMPANY

Established in the year 2017, Volubit Lubricant Industries is India's leading manufacturer of diesel and petrol engines oil and grease products. The Company has been engaged in the production, distribution and marketing of lubricants, grease and other allied products. Today, Volubit Lubricant Industries is one of India's fastest growing lubricant companies that manufactures a wide range of fluids, viz., engine oils, gear oils, radiator coolants, brake fluids, etc. for engines.

The Company has a strong team of over 35 employees with more than 20 super stockist, 238 distributors and dealers and 2,00,000 direct customers. The huge association is another aspect of Volubit's commitment to resonate with its consumers' ambitions and dreams. People epitomize the same values that Volubit stands for – excellence, high performance and consistency.

THE AATMANIRBHARTA FACTOR

Volubit Lubricants firmly believes that its growth potential lies in the quality of execution, power to innovate and in its resolve to remain a step ahead of market demands. Its mission, as a brand, is to leverage real-world insights to provide valuable goods that generate success for its customers and users. Assuring the clients of better functioning of their vehicles, these lubricants adhere to the Indian standards of quality. Three years ago Volubit introduced its lubricant business for both diesel and petrol engines. The Company works repeatedly on innovation to bring only the highest quality motors, lubricants and cleaners to market. It's because of this legacy and dedication to innovation that millions of people trust Volubit products in their vehicles, engines and equipment, from the Model T to today's newest models. Volubit has expertise that can be trusted. Volubit and its chemical engineers have been innovating, creating and reinventing formulae for racing, high kilometer vehicles, synthetics and other applications. It is the commitment to innovation that shows in its products that help keep vehicles and equipment moving all over the world. The Company is dedicated to operating its facilities with utmost respect for the communities and environment in which we all live and work as they constitute an integral part of its business philosophy effectively driving sustained growth. In the Company's expertise and innovation, lies its Aatmanirbharta.

COMPANY PLANT MACHINERY

GREASE & LUBRICANT BLENDING PLANT





PACKING SIZE

100ml (30x4)	120
175ml (30x4)	120
250ml (25x4)	100
350ml (20x4)	80
500ml	25
800ml / 850ml / 900ml /1 Ltr	20
2.5 Ltr	8
3 Ltr / 3.5 Ltr	6
4 Ltr / 5 Ltr	4
Spray (25x4)	100
100gm (30x4)	120
200gm (20x4)	80
250gm	36
500gm	36
1 kg	18
2 kg	12

BUCKET FILLING MACHINE



OIL TESTING LABORATORY



BOTTLE FILLING MACHINE



COMPANY CERTIFICATES

ISO CERTIFICATE



HPCL QUALITY CERTIFICATE



COMPANY REGISTRATION CERTIFICATE



FACTORY BUILDING







VOLUBIT LUBRICANT INDUSTRIES

Plot No. 51-52-53, Shiv Bhakti Industrial, Village Sanki, B/H. Vijay Petrol Pump, Kadodara to palsana Highway, NH-8, Karan - 394315

CUSTOMER CARE: +91 84603 81603 **OFFICE:** +91 95 86 86 26 92 / 99 79 26 60 84

www.volubit.in are.volubitlubricants@gmail.com

